

	Hits	Search Text	DBs
1	2	"5349635".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	2903	ping\$1pong	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	2185	ping\$1pong and signal\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	2467	ping\$1pong\$5 and signal\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	1926	ping\$1pong\$5 and (signal\$5 or data) and transmi\$5 and (receiv\$5 or recep\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	166	375/???ccls. and ping\$1pong\$5 and (signal\$5 or data) and transmi\$5 and (receiv\$5 or recep\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	120	375/???ccls. and ping\$1pong\$5 and (signal\$5 or data) and transmi\$5 and (receiv\$5 or recep\$5) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	33	ping\$1pong\$5 and (signal\$5 or data) and transmi\$5 and (receiv\$5 or recep\$5) and ack and (mode\$1 near1 select\$2) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
9	12	ping\$1pong\$5 and (signal\$5 or data) and transmi\$5 and (receiv\$5 or recep\$5) and ack and (mode\$1 near1 select) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	1055	(signal\$5 or data) and transmi\$5 and (receiv\$5 or recep\$5) and (ack or acknowledg\$5) and (mode\$1 near1 select) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	38	375/???.ccls. and (signal\$5 or data) and transmi\$5 and (receiv\$5 or recep\$5) and (ack or acknowledg\$5) and (mode\$1 near1 select) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	18	375/???.ccls. and handshak\$5 and (signal\$5 or data) and transmi\$5 and (receiv\$5 or recep\$5) and (ack or acknowledg\$5) and (mode\$1 near1 select) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	0	(fig\$5 with handshak\$5) and transmi\$5 and (receiv\$5 or recep\$5) and (ack or acknowledg\$5) and (mode\$1 near1 select) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	0	(fig\$5 with handshak\$5) and transmi\$5 and (receiv\$5 or recep\$5) and (mode\$1 near1 select) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	37	(fig\$5 with handshak\$5) and transmi\$5 and (receiv\$5 or recep\$5) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
16	1	(figure\$2 near2 handshak\$5) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	1	"2256558".URPN.	USPAT
18	1	(figure\$2 near3 handshak\$5) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	5	(figure\$2 near4 handshak\$5) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	12	(figure\$2 near5 handshak\$5) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	181029 12	"605803.pnand" @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	0	"605803.pn" and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	0	"605803.pn"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	0	"6052803.pn"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
25	2	"6052803".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	4	("4742482" "5444703" "5574861" "5633812").PN.	USPAT
27	2388	remot\$2 and central\$2 and handshak\$5 and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	80	(remot\$2 same central\$2 same handshak\$5) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	27	((stop or terminat\$5 or suspen\$5) near2 transmi\$5) with (silenc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	17	((stop or terminat\$5 or suspen\$5) near2 transmi\$5) with (silenc\$5) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	0	((stop or terminat\$5 or suspen\$5) near2 transmi\$5) with (silenc\$5) with startup and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	0	((stop or terminat\$5 or suspen\$5) near2 transmi\$5) with (silenc\$5) same startup and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	0	((stop or terminat\$5 or suspen\$5) near2 transmi\$5) same (silenc\$5) same startup and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
34	3	((stop or terminat\$5 or suspen\$5) near2 transmi\$5) same (silenc\$5) and startup and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	2	"5321722".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	2	ep-831624-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	2	ep-513527-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	2	ep-820168-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	2	"5493609".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	2	"5715277".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	18	((("5493609") or ("6002722") or ("5479447") or ("4679227") or ("5644573") or ("5463382") or ("5377188") or ("4897831") or ("5349635"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
42	2	ep-981054503-\$.did. ep-97420207-\$.did. ep-993575607-\$.did. ep-8201680-\$.did. ca-2027230-\$.did. ca-2111543-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	21	375/???.ccls. and handshak\$5 and (signal\$5 or data) and transmi\$5 and (receiv\$5 or recep\$5) and (ack or acknowledg\$5) and (mode\$1 near2 select) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	51	((("5668857") or ("5781617") or ("5852655") or ("5410343") or ("5757803") or ("5796808") or ("5751914") or ("5448566") or ("5163131") or ("5311578") or ("4680773") or ("5463661") or ("5644573") or ("5715277") or ("5608764") or ("5903608") or ("5910970") or ("5805669") or ("5400322") or ("5479447") or ("5682419") or ("5349635") or ("4897831") or ("5463382") or ("5377188") or ("5321722")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
45	16	((("5912921") or ("6064693") or ("5280586") or ("6002722") or ("4924456") or ("5103446") or ("6366567") or ("6263016")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
46	18	((("5493609") or ("5715277") or ("6466586") or ("6438226") or ("5970088") or ("6307836") or ("6298065") or ("6263016") or ("6081517")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
47	2	(375/222,375/220,375/219,375/295,375/316,375/354,375/358,375/365,370/276).ccls. and ((stop or terminat\$5 or suspen\$5) near2 transmi\$5) same (silenc\$5) and startup and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	2	(375/222,375/220,375/219,375/295,375/316,375/354,375/358,375/365,370/276).ccls. and ((stop or terminat\$5 or suspen\$5) near2 transmi\$5) same (silenc\$5) and startup and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	2	"5796808".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	2	wo-9935756-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	1	ep-974202-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	2	"5163131".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	2	"5493609".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	2	"6226280".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
55	14	((("5493609") or ("6735245") or ("6694470") or ("6768772") or ("20030103559") or ("20030165188") or ("6765957") or ("20040052308") or ("20040179552") or ("6751254") or ("20040131111") or ("20040057510") or ("20040059979") or ("20040068686")).PN.	US-PGPUB; USPAT
56	2	(375/222,375/220,375/219,375/295,375/316,375/354,375/358,375/365,370/276).ccls. and ((stop or terminat\$5 or suspen\$5) near2 transmi\$5) same (silenc\$5) and startup and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB